


# NURSING BED OPTIMUS 3E BUTTERFLY

## Healthy Therapy Product



### PRODUCT FUNCTION

Nursing Bed OPTIMUS 3E Series is a type of bed that functions to support special needs for people who are sick, disabled, and people with special needs (breastfeeding and the elderly). With the Motor Actuator Operating System as a manual driver for bed height, head and foot raise, it is controlled via a Handheld controller

### PRODUCT SPECIFICATION

- |                  |   |
|------------------|---|
| Operating System | : Motor Actuator for High-Low, Foot Rest, and Head Rest positions   |
| Position         | : - High – low: Manual operation with Motor Actuator<br>- Head & Foot rest: manual operation with Motor actuator  |
| Primary          | : - Simple design, no sharp corners (smooth surface)<br>- Easy operating mechanism, with Motor Actuator<br>- Sturdy and anti-rust<br>- Wheels that are easy to move and position, with lock - unlock system |
| Lock System      | : Central Lock System on the pedal bar  |
| Accessories      | : IV Pole (2 Type Option) and Side Rail / Folding Side rail<br>Bed Side Cabinet, Over Bed Table, and Foot Step<br>Airmate Cpro Mattress / Urethane  |




## NURSING BED OPTIMUS 3E BUTTERFLY

# SPECIFICATION



### PRODUCT DIMENSION



- Dimension L : Total 2230 mm (include H/F Board)  
1956 mm (Bottom assy Lenght)
- W : Total 1030 mm  
915 mm (Bottom assy Widht)
- D : 760 ~ 1005 mm (from floor to Head Board)  
327 ~ 667 mm (from floor to Bottom Assy)



**Folding Side Rail as Option**

### PRODUCT MEASUREMENT

- Weight : ± 90KG
- Load Capacity : ± 400KG (Static) & ±170KG (Dynamic)
- Packing Dim : 2050 (L) x 1070 (W) x 190 (D)



### MATERIAL SPECIFICATION

- Frame : ST KR & ST KM 11A Pipe 1.6~1.8mm mainly for Main and Bottom frame  
SPCC & SPHC Plate for Support and support component
- Finishing : Powder Coating White Colour
- Castor : EUDC-125+T:28X96 Swivel with central, total lock, directional lock
- Head & Foot Board : HDPE (High-density polyethylene)
- Corner Bumper : PP (Polypropylene)
- Bumper List : ABS (Acrylonitrile butadiene styrene)
- Actuator Motor : Actuator Stroke 100 For Foot raise  
Actuator Stroke 200 for head raise & High Low Position  
Output DC 12/24/36V DC ; 24V DC (PTC)  
Power till 10.000N (Push); 4000N (pull)  
one set with Control Box and Handheld Controller
- Packing Case : 1 box for 1 Nursing Bed  
Cardboard Box CB/F 2050 x 1070 x 190 K200/M150x3/K200



# ACCESORIES



### Bed Side Cabinet - CBC

CBC side cupboards offer bedside storage solutions by providing reinforcement and the addition of excellent supporting facilities

#### Product Specification

Dimension	: 463 x 455 x 700
Material	: Plate SPCC-SD 0.6mm
Finishing	: Powder Coating
Top Table	: Plastic PP (Polypropylene)

### Over Bed Table – TB002

The TB002 Overbed Table is designed to provide a stable surface for patients to eat or engage in other activities while lying in bed. It can be adjusted in height to accommodate different patient needs and preferences.



#### Product Specification

Dimension	: 360 X 900 X 750-1000
Material	: ST KR Pipe 40/25,
Finishing	: Powder Coating
Top Table	: Plastic PP (Polypropylene)

### Irrigator Bar /IV Pole

IV poles are available with 5 legs for extra stability, with available 2 or 4 "Ram's horn" hook option

#### Product Specification

Dimension adjust	: Min 900, max 1500
Material	: STKM 11 Pipe Ø19.1 x 1.0 x 875
Finishing	: Nickel Plating (chrome)
Plastic part irrigator	: Plastic >PP< (Polypropylene)
Base frame	: 25" diameter, Plastic >PP< (Polypropylene) ) (Non-starbase)
Caster	: Caster 850 TA 50 nylon +bolt ring plastic



Irrigator Bar /IV Pole with Starbase